

Problem I

Redundancy Refrain

Time limit: 6 seconds

Professor Chen, a distinguished expert in Computational Paleography, has spent years studying the scripts of the *Non-Redundant* dynasty. The scribes of this era followed a peculiar aesthetic doctrine: they believed that a text loses its spiritual potency if it contains “echoes”.

In this context, an *anagrammatic echo* is defined as any two distinct segments of a text that, while not necessarily identical in their ordering, contain the exact same symbols in the exact same quantities. For a text represented as a sequence of symbols, an echo exists if there are two different starting positions x and y such that the subarray of length l beginning at x is a permutation of the subarray of length l beginning at y . For example, consider the sequence $[1, 2, 1, 1, 3, 1, 2, 1]$. The segment of length 4 starting at the second position, $[2, 1, 1, 3]$, and the segment of length 4 starting at the fifth position, $[3, 1, 2, 1]$, form an anagrammatic echo.

Professor Chen has unearthed several such scrolls, but many symbols have faded over time, leaving gaps (represented by 0). Your task is to fill these gaps using symbols from the allowed set $\{1, 2, \dots, k\}$ such that the resulting *Dissonance Score* of the scroll is minimized. The *Dissonance Score* is the maximum length l of any anagrammatic echo present in the completed sequence.

Input

There are multiple test cases. The first line of the input contains an integer T ($1 \leq T \leq 10^4$) indicating the number of test cases. For each test case:

The first line contains two integers n and k ($2 \leq n \leq 2 \times 10^5$, $1 \leq k \leq n$).

The second line contains n integers a_1, a_2, \dots, a_n ($0 \leq a_i \leq k$).

It is guaranteed that the sum of n over all test cases does not exceed 2×10^5 .

Output

For each test case, output n integers b_1, b_2, \dots, b_n ($1 \leq b_i \leq k$) representing the restored sequence. The sequence b must match a at all positions where $a_i \neq 0$, and it must achieve the minimum possible Dissonance Score.

If there are multiple ways to restore the scroll optimally, Professor Chen will accept any of them.

Sample Input 1

```
4
8 3
0 1 0 2 1 3 0 2
3 3
1 0 2
9 7
0 1 1 0 5 0 4 0 7
6 6
0 0 0 0 0 0
```

Sample Output 1

```
1 1 3 2 1 3 2 2
1 3 2
2 1 1 3 5 6 4 4 7
1 2 3 4 5 6
```