

# Linguistics Puzzle

Input file:            **standard input**  
Output file:           **standard output**  
Time limit:            1 second  
Memory limit:         256 megabytes

When preparing for the International Collegiate Linguistics Contest, Mr. Ham meets an unknown language X. He is given an integer  $n$  ( $2 \leq n \leq 52$ ) and  $n^2$  numbers written in Language X. The  $n^2$  numbers are generated by the following rules:

- Generate a sequence  $a_0, a_1, \dots, a_{n^2-1}$  that satisfies  $a_{n \cdot i + j} = i \cdot j$  for all  $0 \leq i, j < n$ .
- Shuffle the sequence.

Mr. Ham is an experienced ICLC'er. He finds out some basic rules of Language X:

- There are  $n$  different symbols in Language X. Mr. Ham uses the first  $n$  lowercase letters to represent them if  $n \leq 26$ . Otherwise, he uses the first 26 lowercase letters and the first  $n - 26$  uppercase letters to represent them.
- The numbers in Language X are written in base  $n$ . Each digit is represented by a symbol in Language X.
- Like in Arabic numerals, the digits are written from the most significant digit to the least significant digit, i.e.  $a \cdot n + b$  is written as **ab** instead of **ba**. There are no leading zeros, i.e. **a** is written as **a** instead of **0a**.

Mr. Ham wants to know which symbol represents digit  $i$  in Language X for each  $0 \leq i < n$ . He asks you for help.

## Input

Each test contains multiple test cases. The first line contains the number of test cases  $T$  ( $1 \leq T \leq 50$ ). The description of the test cases follows.

The first line of each test case contains an integer  $n$  ( $2 \leq n \leq 52$ ), the number of symbols in Language X. The second line contains  $n^2$  strings  $s_1, s_2, \dots, s_{n^2}$ , the numbers in Language X. Each string consists of at most 2 lowercase and uppercase letters.

It is guaranteed that the answer exists.

## Output

Output a string of length  $n$ , the  $i$ -th character is the symbol that represents digit  $i - 1$  in Language X. If there are multiple answers, output any of them.

## Examples

standard input	standard output
2 3 a b a b b b b c cc 4 d d d d d c b a d b cd cb d a cb bc	bca dcba
2 4 d a a bc ba bc b a a a d a a cb c c 4 a b da b b d ad b db b a c da b c b	abcd bdac

## Note

In the first test case of the first sample, the letter b represents digit 0, the letter c represents digit 1, and the letter a represents digit 2. The numbers given in the input are 1, 0, 1, 0, 0, 0, 0, 2, 4.